

NOVEL PHOTOBIOREACTOR FOR MASS CULTIVATION OF MICROALGAE

 PATENTED TECHNOLOGY



CONTACT DETAILS:

Research Results Transfer Office-
OTRI
University of Alicante
Tel.: +34 96 590 99 59
Email: areaempresas@ua.es
<http://innoua.ua.es>

ABSTRACT

The research group Polymer processing and pyrolysis of the University of Alicante has developed a novel photobioreactor in order to grow massively different species of microalgae, even on industrial scale and with automation.

The main advantages of this technology are: high productivity, better CO₂ consumption, better light transfer to the culture, more effective shaking and less cleaning and maintenance time. It can be used in the following industrial sectors: biofuels, aquaculture, food, pharmaceutical, cosmetics, etc.

The research group is looking for companies acquiring this technology for licensing agreement and technical cooperation.

TECHNOLOGY ADVANTAGES AND INNOVATIVE ASPECTS

The main innovation of this invention is that this novel photobioreactor combines the mechanism of a bubble column with the air-lift type for higher biomass production than that obtained for both systems separately.

Moreover, the main advantages of this technology are:

- High productivity.
- The stirring is more effective because the effects of both types of reactor (bubble column and air-lift type) are added, which allows a faster microalgae exchange between areas of light and dark.
- Better light transfer to the culture because the bubbles generated directly mix the culture resulting in an expansion thereof.
- Maintenance of the uniformity in the distribution of gas in the system.
- Improves nutrient solution: the way in which is injected CO₂ to maintain the pH of the culture allows that the residence time of CO₂ in the medium increases, thus making better use of it (the whole culture must be crossed to reach the surface).
- Better control of the culture conditions (pH, temperature, etc.).
- There is a lower adhesion of microalgae on the photobioreactor walls, which achieves a greater use of light when the culture reaches high concentrations, and it barely requires cleaning and maintenance.
- CO₂ consumption to reach a suitable microalgae growth is significantly reduced compared with other systems. The best use of this nutrient compared to the conventional air-lift reactor is due to the higher residence time of CO₂ it is in the culture: there is a higher concentration dissolved and therefore higher availability for microalgae. Figure 3 shows how the number of CO₂ injections performed in a culture of *Nannochloropsis oculata* in a given time interval is reduced with respect to a reactor of conventional air-lift type:




Figure 3: Comparison of the pH profiles using the photobioreactor described in this invention and a conventional air-lift reactor

- Due to its configuration, it allows easy scaling on industrial level.
- It is robust and easy to install and operate (technical experience is not required for its management).
- The better use of sunlight minimizes energy consumption and cost.
- It is able to be automated (it has aeration, circulation, feeding and harvesting circuits).
- It is thermostated for optimum growth of microalgae.
- It has an automatic pH probe for CO₂ injection.
- It allows to cultivate some microalgae species, such as: Chlorella, Nannochloropsis oculata, Nannochloropsis gaditana, Isochrysis aff. Galbana, Spirulina platensis, Dunaliella salina, Odontella aurita, Phaedactylum tricornutum, Porphyridium cruentum, etc.
- The culture conditions have been optimized for Nannochloropsis oculata, a kind of microalgae particularly resistant to pollution (fungi, yeasts, bacteria, viruses, etc.).

MARKET APPLICATIONS

The present invention consists in a photobioreactor combining a bubble column with the air-lift type mechanisms to achieve higher biomass production than both systems separately.

Microalgae have high photosynthetic efficiency, so their growth is faster than plants. In this sense, microalgae are a very interesting material for the generation of biofuels.

Addition of biomass to produce biofuels, microalgae can be used to obtain other valuable substances on different industry sectors: food, pharmaceuticals, cosmetics, nutraceuticals, etc.

Depending on the species cultured, it can be obtained:

Antibiotics

Enzymes

Proteins

Peptides

Pigments

Vitamins

Biopolymers

Polysaccharides

Polyunsaturated fatty acids

Triglycerides

Essential lipids

Oxylipins

Antioxidants

Etc.

.....

COLLABORATION SOUGHT

The research group is looking for companies interested in acquiring this technology for commercial exploitation by:

- Licensing agreement.
- Technical cooperation to test new applications (biofuels, cosmetics, pharmaceuticals, nutraceuticals, food, etc.) and to adapt it to microalgae species, such as: Chlorella, Nannochloropsis oculata, Nannochloropsis gaditana, Isochrysis aff. Galbana, Spirulina platensis, Dunaliella salina, Odontella aurita, Phaedactylum tricornutum, Porphyridium cruentum, etc.

.....