

METHOD FOR QUICKLY DEVELOPING AN ARCHITECTURAL PROJECT BY MEANS OF DIAGRAMS

P PATENTED TECHNOLOGY

CONTACT DETAILS:

Research Results Transfer Office-OTRI
University of Alicante
Tel.: +34 96 590 99 59
Email: areaempresas@ua.es
<http://innoua.ua.es>

ABSTRACT

The group of trial, simulation and modeling of structures (GRESMES) has drafted a method for developing an architectural project by means of Voronoi diagrams, which allows to quickly obtain different distribution possibilities of the uses in the space.



The group is looking for companies interested in acquiring this technology for commercial exploitation.



INTRODUCTION

One of key parts of the development method of the architectural project consists of distributing the uses in the space. It is a repetitive process as it requires multiple trial and error tests that involve a great investment of time. Accelerating the process is in many cases a need and a technical problem to be solved.

Thanks to the emergence of computers and specialized software development for architectural design, the method has been significantly simplified due to the incorporation of genetic algorithms that result in the geometries of the Voronoi polygons (this diagram divides the plane in as many regions as points we have so that each point is assigned the region formed by everything that is closer to it than any other).

TECHNICAL DESCRIPTION

By means of the present invention it is possible to obtain within a very short time what we call a "base diagram of the general perimeter of the floor plan and perimeters of the spaces characterized by their use" of the building that we intend to perform. The method comprises the following stages:

- Define a series of primary base points by selecting at least one central essential point.
- Perform a first triangulation by joining the primary base points in such a way as to define a first network of triangles.

- Calculate the respective circumcentres of each triangle of the first network of triangles.
- Define a series of perpendicular lines to the sides of each triangle of the first network of triangles.
- Generating a series of closed polygons by joining the respective circumcentres of each triangle (see *Figure 1*).
- Adjust the areas of the closed polygons by modifying the length of the sides or the position of vertices, thus generating the base diagram of general perimeter of the floor plan and perimeters of the spaces characterized by the use of a building.




Figure 1: Voronoi Polygons

TECHNOLOGY ADVANTAGES AND INNOVATIVE ASPECTS

The procedure described in this patent has the great advantage of speeding up the entire process of developing an architectural project, since:

- It allows to develop singular variants of the same architectural typology at high speed, to allow the evaluation by the architect and its later modification with great agility.
- It allows the participation and direct involvement of the client in the decisions by being able to see the result instantaneously, practically in real time.

In addition, it will be a totally unique project for the client because it will be the result of a diagram consisting of a combination of numbers provided by the client. Therefore, a very strong emotional link will be generated between the design developed and the client.

On the other hand, this procedure can be applied both in dwellings on a flat surface and those on a slope, of a single height or buildings of up to 5 floors, of new construction or dwelling refurbishment as well as any type of conventional construction material can be used. All this without increasing the final price of the house.

INNOVATIVE ASPECTS OF TECHNOLOGY

The main innovation lies in the use of an automatic method that greatly speeds up the development of an architectural project.

In addition, the procedure is simple, during a two-hour conversation between architect and client/s the application shows, in real time, how the geometry of the project is born, grows, and is modified and evolves until it is finished. During this conversation the client is asked a multitude of questions, some related to the program, others about their way of living and other questions about more personal data of those who, in a few months, will occupy their home. From the answers to these last questions a series of numbers are extracted that will define the geometry of the perimeter and the interior division of spaces of the dwelling.

CURRENT STATE OF DEVELOPMENT

There is a prototype of a house totally made of wood elaborated with the present technology and that was exhibited in FIRAMACO 2016, the main fair of Reform and Rehabilitation of the province of Alicante. This prototype is called "Identity Architecture" and is a sample of the customization and ease of design in real time during a conversation between the architect and the people who will inhabit them (see *Figure 2*).



Figure 2: Prototype "Identity Architecture".

In addition, with the aid of this novel method, the construction of a single-family house in Polop de la Marina (Alicante) has been completed with very positive results (see *Figure 3*), while a total of 8 more houses are in the drafting stage.



Figure 3: Housing "ADI 90.91.2.8.59.11.40.15".

MARKET APPLICATIONS

This new method could be applied perfectly within the Construction and Architecture field (development and construction companies), as well as in companies of industrialized processes of the construction since it is possible to build the house in a workshop and then to move it to the parcel in question.

Therefore, those national or international companies dedicated to the **construction of modular housing**, currently a booming sector, could be particularly interested.

COLLABORATION SOUGHT

The research group is looking for companies interested in acquiring this technology for **commercial exploitation** through patent licensing agreements.

INTELLECTUAL PROPERTY RIGHTS

This technology is protected by **patent**.

- Title of the patent: "Automatic procedure for obtaining a base diagram of the general perimeter of the floor plan and perimeters of spaces characterized by the use of a building".

- Application number: 201600779
- Date of application: 22/09/2016

MARKET APPLICATION (2)

Construction and Architecture
Wood and Furniture